SLONI

The best climbing walls for your child

Hangel triangle



ASSEMBLY INSTRUCTIONS

Hangel triangle
ASSEMBLY INSTRUCTIONS

WARNING:

Not suitable for children under 3 years of age. Use only under adult supervision.
Small parts may pose a choking hazard.
The assembly is best carried out by two adults.

IMPORTANT INSTALLATION INSTRUCTIONS
PLEASE READ THESE INSTRUCTIONS CAREFULLY AND FOLLOW EVERY STEP EXACTLY.

Wall Mounting

The hangel triangle is simply hooked onto the existing climbing wall. No additional drilling or tools are required. Before each use, check that the hangel triangle is securely fastened.

The maximum load capacity is 60 kg and must not be exceeded.

Check the hangel triangle regularly to ensure it is securely fastened and to check for any damaged or worn components. Damaged parts must not be used any further.


The hangel triangle is intended exclusively for use on a suitable SLONI climbing wall in private indoor settings.

Note on material properties

Our hangel triangle is made of solid natural wood. Differences in colour, grain and structure are natural characteristics of the wood. Fluctuations in temperature and humidity may cause fine hairline cracks to form. These do not usually affect the stability of the product.

Care instructions


Use the hangel triangle indoors only. Remove dust regularly with a dry or slightly damp cloth. Do not use harsh cleaning agents and avoid prolonged exposure to moisture.



Last updated: 09/2026 v1.03

Contents of the package

Your parcel contains the following:




2 x side panel A




3 x rungs A (short)



6 x screw A




2 x side panel B




2 x long rungs B



4 x screw B



1 x glue



Step 1



2 x side panel A




3 x rungs A (short)




6 x screw A

Apply some wood glue to the six recesses in the two side panels A and carefully insert the rungs A. Make sure that all the joints fit snugly. Then secure the rungs with the appropriate screws A.



Step 2



2 x side panel B




2 x long rungs B



4 x screw B

Insert just one of the rungs B through the two upper empty holes in the side panels A. Now take the two side panels B and slot them onto the protruding sides of the rung B. Apply a little wood glue to the two empty holes in the side panels B. Take the second rung B and insert it into the bottom two holes of the side panels B. You can now screw all the rungs on part B in place as well. Your climbing triangle is now fully assembled.



SLONI

The best climbing walls for your child

Quality meets design

Of course, we want only the best for your child. Climbing promotes children's physical and mental development in a playful way. Our products are lovingly handcrafted from solid pine and beech wood, are untreated and, naturally, free from harmful substances. And, just like you, we love good design. That's why we founded Sloni. Find out more at sloni.de.



Climbing walls



Climbing triangles



Bouldering walls

SLONI GmbH

Maysweg 10
47918 Tönisvorst
Deutschland
Phone: +49 171 312 44 21
Mail: info@sloni.de